KIDNEY INTERNATIONAL

Volume 52, Number 1, July 1997

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

EDITORIAL

Remarks on behalf of the new editorial team of *Kidney International. Saulo Klahr* 1

PERSPECTIVES IN RENAL MEDICINE

The hyperparathyroidism of chronic renal failure: A disorder of growth. *A. Michael Parfitt* 3

PERSPECTIVES IN BASIC SCIENCE

Hyperhomocysteinemia in end-stage renal disease: Prevalence, etiology, and potential relationship to arteriosclerotic outcomes. *Andrew G. Bostom and Lori Lathrop* 10

GENETIC DISORDERS - DEVELOPMENT

Development of human fetal kidney in obstructive uropathy: Correlations with ultrasonography and urine biochemistry. *Farida Daïkha-Dahmane, Marc Dommergues, Françoise Muller, Françoise Narcy, Mireille Lacoste, Agnes Beziau, Yves Dumez, and Marie-Claire Gubler* 21

Rapid communication: Autosomal dominant polycystic kidney disease with anticipation and Caroli's disease associated with a PKD1 mutation. *Roser Torra, Cèlia Badenas, Alejandro Darnell, Concepció Brú, Angels Escorsell, and Xavier Estivill* 33

HORMONES - CYTOKINES - SIGNALING

Effect of glyoxylate on the function of the calcitriol receptor and vitamin D metabolism. *Sanjeevkumar R. Patel, Yin Xu, Ronald J. Koenig, and Chen H. Hsu* 39

Parathyroid hormone prevents $1,25(OH)_2D_3$ induced down-regulation of the vitamin D receptor in growth plate chondrocytes *in vitro*. *Günter Klaus, Tanja May, Ulrike Hügel, Barbara von Eichel, Julian Rodriguez, Porfirio Fernandez, Jörg Reichrath, Eberhard Ritz, and Otto Mehls* 45

Interleukin-4 and interleukin-10 attenuate established crescentic glomerulonephritis in mice. *A. Richard Kitching, Peter G. Tipping, Xiao Ru Huang, David A. Mutch, and Stephen R. Holdsworth* . 52

Altered ceramide and sphingosine expression during the induction phase of ischemic acute renal failure. *Richard A. Zager, Mineo Iwata, D. Scott Conrad, Kristin M. Burkhart, and Yasuyuki Igarashi* . 60

Maturational changes in rabbit renal cortical phospholipase A_2 activity. *Ji-Nan Sheu, Michel Baum, Elizabeth W. Harkins, and Raymond Quigley* 71

Effect of glucose on the function of the calcitriol receptor and vitamin D metabolism. *Sanjeevkumar R. Patel, Yin Xu, Ronald J. Koenig, and Chen H. Hsu* 79

Effect of glucose, pyruvate, and insulin on type 1 angiotensin II receptor expression in SV40-immortalized rabbit proximal tubule epithelial cells. *Bryan N. Becker, Satoshi Kondo, Hui-Feng Cheng, and Raymond C. Harris* 87

CELL BIOLOGY - IMMUNOLOGY - PATHOLOGY

Two novel probes reveal tubular and vascular Arg-Gly-Asp (RGD) binding sites in the ischemic rat kidney. *Victor Romanov, Eisei Noiri, Grzegorz Czerwinski, Dirk Finsinger, Horst Kessler, and Michael S. Goligorsky* 93

Importance of the tubulointerstitium in human glomerulonephritis. II. Distribution of integrin chains $\beta 1$, $\alpha 1$ to 6 and αV. *Prabir Roy-Chaudhury, G. Hillis, S. McDonald, John G. Simpson, and David A. Power* 103

Contents continued on next page

In situ hybridization studies of matrix metalloproteinase-3, tissue inhibitor of metalloproteinase-1 and type IV collagen in diabetic nephropathy. *Daisuke Suzuki, Masanobu Miyazaki, Kiichiro Jinde, Takehiko Koji, Mitsunori Yagame, Masayuki Endoh, Yasuo Nomoto, and Hideto Sakai* 111

Identification of promoter activity and differential expression of transcripts encoding the murine stromelysin-1 gene in renal cells. *Jerry Yee, Gerald S. Kuncio, Basant Bhandari, Fuad S. Shihab, and Eric G. Neilson* 120

Modulation of c-*fos* and *egr*-1 expression in the isolated perfused kidney by agents that alter tubular work. *Michael Joannidis, Lloyd G. Cantley, Kate Spokes, Alan K. Stuart-Tilley, Seth L. Alper, and Franklin H. Epstein* 130

Glycine-protected, hypoxic, proximal tubules develop severely compromised energetic function. *Joel M. Weinberg, Nancy F. Roeser, Julie A. Davis, and Manjeri A. Venkatachalam* 140

ION CHANNELS - MEMBRANE TRANSPORT - INTEGRATIVE PHYSIOLOGY

Opposite paracrine effects of 5-HT and dopamine on Na^+-Pi cotransport in opossum kidney cells. *Frederico G.S. de Toledo, Kelly W. Beers, Theresa J. Berndt, Michael A. Thompson, Gertrude M. Tyce, Franklyn G. Knox, and Thomas P. Dousa* 152

Agonist-induced activation of a non-selective ion current in glomerular endothelial cells. *Hermann Pavenstädt, Anna Henger, Verena Briner, Karl-Georg Fischer, Markus Huber-Lang, Peter Schollmeyer, and Rainer Greger* 157

VASCULAR BIOLOGY - HEMODYNAMICS - HYPERTENSION

Modulation of renal hemodynamics by IGF-1 is absent in spontaneously hypertensive rats. *Yoji Inishi, Tetsuo Katoh, Toshihiro Okuda, Tetsu Yamaguchi, and Kiyoshi Kurokawa* 165

Renal and systemic nitric oxide synthesis in rats with renal mass reduction. *Sistiana Aiello, Marina Noris, Marta Todeschini, Sergio Zappella, Chiara Foglieni, Ariela Benigni, Daniela Corna, Carla Zoja, Daniela Cavallotti, and Giuseppe Remuzzi* 171

A new model of renal microvascular endothelial injury. *Masaomi Nangaku, Charles E. Alpers, Jeffrey Pippin, Stuart J. Shankland, Stephen Adler, Kiyoshi Kurokawa, William G. Couser, and Richard J. Johnson* 182

Up-regulation of renal and vascular nitric oxide synthase in iron-deficiency anemia. *Zhenmin Ni, Samer Morcos, and Nosratola D. Vaziri* 195

Natriuretic peptide receptors mediate different responses in rat renal microvessels. *Karlhans Endlich and Michael Steinhausen, with the technical assistance of Rudolf Dussel* 202

CLINICAL NEPHROLOGY - EPIDEMIOLOGY - CLINICAL TRIALS

Rapid communication: Recurrent corneal erosion associated with Alport's Syndrome. *Ceril Rhys, Bernadette Snyers, and Yves Pirson* 208

DIALYSIS - TRANSPLANTATION

Low efficiency of active immunization against diptheria in chronic hemodialysis patients. *Burkhard Kreft, Mariam Klouche, Renate Kreft, Holger Kirchner, and Klaus Sack* 212

Reticulocyte hemoglobin content in the evaluation of iron status of hemodialysis patients. *Steven Fishbane, Cynthia Galgano, Robert C. Langley, Jr., William Canfield, and John K. Maesaka* 217

TECHNICAL NOTES

Quantitative analysis of ammonia on the breath of patients in end-stage renal failure. *Simon Davies, Patrik Spanel, and David Smith* 223

A conditionally immortalized cell line from murine proximal tubule. *Mahmoud Loghman-Adham, Andreas Rohrwasser, Catherine Helin, Shuhua Zhang, Daniel Terreros, Ituro Inoue, and Jean-Marc Lalouel* 229

Use of urine specific gravity to improve screening for albuminuria. *Richard R. Moore, Jr., Cheryl A. Hirata-Dulas, and Bertram L. Kasiske* 240

A method for accurate measurement of GFR in conscious, spontaneously voiding rats. *P.A. Marcel de Vries, Gerjan Navis, Eric de Boer, Paul E. de Jong, and Dick de Zeeuw, with the technical assistance of C. Alex Kluppel* 244

NEPHROLOGY FORUM

Cyclosporine and the renin-angiotensin axis. *David B.N. Lee* 248

ABSTRACTS

The Renal Association 261

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 282

Awards and grants 285

Erratum 286

Instructions for Authors on page xii

KIDNEY INTERNATIONAL

Volume 52, Number 2, August 1997

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

The balance of acid, base and charge in health and disease. *Raphael M. Cohen, George M. Feldman, and Pedro C. Fernandez* 287

PERSPECTIVES IN BASIC SCIENCE

Cell-cycle control and renal disease. *Stuart J. Shankland* 294

GENETIC DISORDERS—DEVELOPMENT

Receptor protein tyrosine kinases in perinatal developing rat kidney. *Nohjin Kee, Alison J. McTavish, Joan Papillon, and Andrey V. Cybulsky* 309

HORMONES—CYTOKINES—SIGNALING

Induction of mesangial interleukin-6 synthesis by apoptotic U937 cells and monocytes. *Stefan Heidenreich, Toshinobu Sato, Michael Schmidt, Christian August, Janneke J. Timmerman, Leendert A. van Es, and Mohamed R. Daha* 318

Feedback regulation of extracellular ATP-stimulated phosphoinositide hydrolysis by protein kinase C-α in bovine glomerular endothelial cells. *Andrea Huwiler, Verena A. Briner, Doriano Fabbro, and Josef Pfeilschifter* 329

Evidence against a major role of adenosine in oxygen-dependent regulation of erythropoietin in rats. *Christoph H. Gleiter, Mathias Brause, Ursula Delabar, Hubert Zebski, and Kai-Uwe Eckardt* 338

A novel *in vivo* mechanism for angiotensin type 1 receptor regulation. *Hideki Nishimura, Taiji Matsusaka, Agnes Fogo, Valentina Kon, and Iekuni Ichikawa* 345

Inhibition of platelet-derived growth factor receptor tyrosine kinase by atrial natriuretic peptide. *Midori Awazu* 356

The IGF-I axis in kidney and skeletal muscle of potassium deficient rats. *Fay W. Hsu, Tanny Tsao, and Ralph Rabkin* 363

CELL BIOLOGY—IMMUNOLOGY—PATHOLOGY

Expression of tissue type plasminogen activator and type 1 plasminogen activator inhibitor, and persistent fibrin deposition in chronic renal allograft failure. *Yiming Wang, Julian R. Pratt, Barrie Hartley, Beryl Evans, Lyna Zhang, and Steven H. Sacks* 371

Nitric oxide and superoxide induced p53 and Bax accumulation during mesangial cell apoptosis. *Katrin Sandau, Josef Pfeilschifter, and Bernhard Brüne, with the technical assistance of Stephanie Peters* 378

Mesangial cell abnormalities in spontaneously hypertensive rats before the onset of hypertension. *José B. Lopes de Faria, Driss Zoukhri, and Mara Lorenzi* 387

Podocytes are the major source of IL-1α and IL-1β in human glomerulonephritides. *Zofia I. Niemir, Henning Stein, Grzegorz Dworacki, Peter Mundel, Nadja Koehl, Boris Koch, Frank Autschbach, Konrad Andrassy, Eberhard Ritz, Ruediger Waldherr, and Herwart F. Otto* 393

Cyclin kinase inhibitors are increased during experimental membranous nephropathy: Potential role in limiting glomerular epithelial cell proliferation *in vivo*. *Stuart J. Shankland, Jürgen Floege, Susan E. Thomas, Masaomi Nangaku, Christian Hugo, Jeffrey Pippin, Kevin Henne, David M. Hockenberry, Richard J. Johnson, and William G. Couser* 404

Contents continued on next page

Immunodissection of the human proximal nephron: Flow sorting of S1S2S3, S1S2 and S3 proximal tubular cells. *Mark J.F. Helbert, Simonne E.H. Dauwe, Inge Van der Biest, Etienne J. Nouwen, and Marc E. De Broe* 414

Carnitine palmitoyl-transferase enzyme inhibition protects proximal tubules during hypoxia. *Didier Portilla* 429

RAPID COMMUNICATION: Role of caspases (ICE/CED 3 proteases) in DNA damage and cell death in response to a mitochondrial inhibitor, antimycin A. *Gur P. Kaushal, Norishi Ueda, and Sudhir V. Shah* 438

ION CHANNELS—MEMBRANE TRANSPORT—INTEGRATIVE PHYSIOLOGY

Effect of acute increases in filtered HCO_3^- on renal hydrogen transporters: II. H^+-ATPase. *David A. Maddox, William D. Barnes, and F. John Gennari* 446

Moxonidine inhibits Na^+/H^+ exchange in proximal tubule cells and cortical collecting duct. *Eberhard Schlatter, Ieva Ankorina-Stark, Sabine Haxelmans, and Helge Hohage* 454

VASCULAR BIOLOGY—HEMODYNAMICS—HYPERTENSION

Glomerular and vascular tissues do not down-regulate nitric oxide synthesis during protracted endotoxemia. *Domingo del Castillo, Anupam Agarwal, Edgar A. Jaimes, and Leopoldo Raij* 460

Physiology and biochemistry of endothelial function in children with chronic renal failure. *Jameela A. Kari, Ann E. Donald, David T. Vallance, K.R. Bruckdorfer, Anna Leone, Michael J. Mullen, Timothy Bunce, Belen Dorado, John E. Deanfield, and Lesley Rees* 468

CLINICAL NEPHROLOGY—EPIDEMIOLOGY—CLINICAL TRIALS

Angiotensin-converting enzyme gene polymorphism in non-insulin dependent diabetes mellitus and its relationship with diabetic nephropathy. *Barrett W. Jeffers, Raymond O. Estacio, Mary V. Raynolds, and Robert W. Schrier* 473

Urinary tract morbidity due to *Schistosoma haematobium* infection in Mali. *Udo Vester, Rüdiger Kardorff, Mamadou Traoré, Hammar A. Traoré, Sahari Fongoro, Claudia Juchem, Doris Franke, Rolf Korte, Bruno Gryseels, Jochen H.H. Ehrich, and Ekkehard Doehring* 478

Increased incidence of glomerulonephritis following spleno-renal shunt surgery in non-cirrhotic portal fibrosis. *Suresh C. Dash, Uday N. Bhuyan, Amit K. Dinda, Sanjiv Saxena, Sanjay K. Agarwal, Suresh C. Tiwari, and Samiran Nundy* 482

Dietary protein, urea nitrogen appearance and total nitrogen appearance in chronic renal failure and CAPD patients. *Joel D. Kopple, Xiu-Lin Gao, and David Pei-Yuan* 486

Kinetic basis of hyperhomocysteinemia in patients with chronic renal failure. *Anne B. Guttormsen, Per M. Ueland, Einar Svarstad, and Helga Refsum* 495

Insulin resistance in adult polycystic kidney disease. *Kriengsak Vareesangthip, Peter Tong, Robert Wilkinson, and Trevor H. Thomas* 503

Galactose-deficient IgA1 in sera of IgA nephropathy patients is present in complexes with IgG. *Milan Tomana, Karel Matousovic, Bruce A. Julian, Jiri Radl, Karel Konecny, and Jiri Mestecky* 509

DIALYSIS—TRANSPLANTATION

Mutation (677 C to T) in the methylenetetrahydrofolate reductase gene aggravates hyperhomocysteinemia in hemodialysis patients. *Manuela Födinger, Christine Mannhalter, Gabriele Wölfl, Ingrid Pabinger, Eva Müller, Rainer Schmid, Walter H. Hörl, and Gere Sunder-Plassmann* 517

Outcomes of single organism peritonitis in peritoneal dialysis: Gram negatives versus gram positives in the Network 9 Peritonitis Study. *C. Martin Bunke, Michael E. Brier, and Thomas A. Golper, for the Academic Subcommittee of the Network 9 Peritonitis Study* 524

TECHNICAL NOTE

Precise quantification of dialysis using continuous sampling of spent dialysate and total dialysate volume measurement. *Àngel Argilés, Alain Ficheux, Marie Thomas, Jean Yves Bosc, Peter G. Kerr, Ronan Lorho, Jean Louis Flavier, Franck Stec, Christian Adelé, Martine Leblanc, Laurie J. Garred, Bernard Canaud, Henri Mion, and Charles M. Mion* 530

NEPHROLOGY FORUM

Lupus nephritis. *Jo H.M. Berden* 538

ABSTRACTS

The 56th Meeting of the Dutch Society of Nephrology 559

The 57th Meeting of the Dutch Society of Nephrology 569

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 579

Awards and grants 581

Instructions for Authors on page xviii

KIDNEY INTERNATIONAL

Volume 52, Number 3, September 1997

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Latin American nephrology: Present state and future concerns. *Amílcar Challú and Manuel Martínez-Maldonado* 583

PERSPECTIVES IN BASIC SCIENCE

Role of extracellular matrix, growth factors and proto-oncogenes in metanephric development. *Yashpal S. Kanwar, Frank A. Carone, Anil Kumar, Jun Wada, Kosuke Ota, and Elisabeth I. Wallner* .. 589

GENETIC DISORDERS-DEVELOPMENT

Association of the angiotensin I converting enzyme gene deletion polymorphism with early onset of ESRF in *PKD1* adult polycystic kidney disease. *Keshwar Baboolal, David Ravine, Joe Daniels, Nigel Williams, Peter Holmans, Gerald A. Coles, and John D. Williams* 607

Regulation of renal EGF receptor expression is normal in Denys-Drash syndrome. *Caroline Vicanek, Emanuela Ferretti, Cynthia Goodyer, Elena Torban, Peter Moffett, Jerry Pelletier, and Paul Goodyer* ... 614

Developmental regulation and partial-length cloning of tubulointerstitial nephritis antigen of murine metanephros. *Anil Kumar, Kosuke Ota, Jun Wada, Elisabeth I. Wallner, Aristidis S. Charonis, Frank A. Carone, and Yashpal S. Kanwar* 620

Ontogeny of angiotensin II receptors, types 1 and 2, in ovine mesonephros and metanephros. *Aldona Butkus, Anthony Albiston, Daine Alcorn, Michelle Giles, Jane McCausland, Karren Moritz, Jialong Zhuo, and E. Marelyn Wintour* 628

HORMONES-CYTOKINES-SIGNALING

Hypoxia stimulates proximal tubular cell matrix production via a TGF-β_1-independent mechanism. *Chrystalla Orphanides, Leon G. Fine, and Jill T. Norman* 637

Impaired secretion of growth hormone in experimental uremia: Relevance of caloric deficiency. *Enrique García, Fernando Santos, Julián Rodríguez, Venancio Martínez, Corsino Rey, Johannes Veldhuis, and Richard J. Krieg Jr.* 648

Inhibition of endogenous nitric oxide synthesis activates particulate guanylyl cyclase in the rat renal glomeruli. *Barbara Lewko, Urszula Wendt, Miroslawa Szczepanska-Konkel, Jan Stepinski, Krystyna Drewnowska, and Stefan Angielski* 654

Angiotensin II blockade decreases TGF-β1 and matrix proteins in cyclosporine nephropathy. *Fuad S. Shihab, William M. Bennett, Amie M. Tanner, and Takeshi F. Andoh* 660

Insulin receptor-related receptor expression in non-A intercalated cells in the kidney. *Carlton M. Bates, Jussi M. Merenmies, Karen S. Kelly-Spratt, and Luis F. Parada* 674

N-glycosylation is not essential for enzyme activity of 11β-hydroxysteroid dehydrogenase type 2. *Zhetcho N. Kyossev and W. Brian Reeves* 682

Angiotensin II increases the cytosolic calcium activity in rat podocytes in culture. *Anna Henger, Tobias Huber, Karl-Georg Fischer, Roland Nitschke, Peter Mundel, Peter Schollmeyer, Rainer Greger, and Hermann Pavenstädt* 687

Localization of insulin receptor-related receptor in the rat kidney. *Keiichi Ozaki, Nami Takada, Kenji Tsujimoto, Noriko Tsuji, Takahide Kawamura, Eri Muso, Mitsuhiro Ohta, and Nobuyuki Itoh* 694

Contents continued on next page

Selective antagonism of the AT_1 receptor inhibits angiotensin II stimulated DNA and protein synthesis in primary cultures of human proximal tubular cells. *P. K. Chatterjee, R. P. Weerackody, S. K. Mistry, G. M. Hawksworth, and J. S. McLay* 699

CELL BIOLOGY-IMMUNOLOGY-PATHOLOGY

Renal tubule regeneration after ischemic injury is coupled to the up-regulation and activation of cyclins and cyclin dependent kinases. *Sung Kwang Park, Min Jeong Kang, Won Kim, Gou Young Koh* . 706

The interstitial response to renal injury: Fibroblast-like cells show phenotypic changes and have reduced potential for erythropoietin gene expression. *Patrick H. Maxwell, David J. P. Ferguson, Lynn G. Nicholls, Martin H. Johnson, and Peter J. Ratcliffe* 715

Oral feeding of renal tubular antigen abrogates interstitial nephritis and renal failure in Brown Norway rats. *Kevin Pham, William E. Smoyer, D. Clay Archer, Francis Gabbai, and Carolyn J. Kelly* 725

Glomerular epithelial cell products stimulate mesangial cell proliferation in culture. *Klemens Budde, Hans-H. Neumayer, David J. Salant, Andrey V. Cybulsky, David L. Coleman, and R. Bernd Sterzel* ... 733

ION CHANNELS-MEMBRANE TRANSPORT-INTEGRATIVE PHYSIOLOGY

Inhibition of COMT induces dopamine-dependent natriuresis and inhibition of proximal tubular Na^+,K^+-ATPase. *Ann-Christine Eklöf, Ulla Holtbäck, Martin Sundelöf, Shanlin Chen, and Anita Aperia* 742

Regulation of the taurine transporter gene in the S3 segment of the proximal tubule. *Douglas G. Matsell, Tracey Bennett, Xiaobin Han, Andrea M. Budreau, and Russell W. Chesney* 748

VASCULAR BIOLOGY-HEMODYNAMICS-HYPERTENSION

Effects of acetate on energy metabolism and function in the isolated perfused rat heart. *Alexis D. Jacob, Nancy Elkins, Oscar K. Reiss, Laurence Chan, and Joseph I. Shapiro* 755

Hypoalbuminemia causes high blood viscosity by increasing red cell lysophosphatidylcholine. *Jaap A. Joles, Nel Willekes-Koolschijn, and Hein A. Koomans* 761

CLINICAL NEPHROLOGY-EPIDEMIOLOGY-CLINICAL TRIALS

Autonomy of the renin system in type II diabetes mellitus: Dietary sodium and renal hemodynamic responses to ACE inhibition. *Jose Mario De'Oliveira, Deborah A. Price, Naomi D. L. Fisher, Donald R. Allan, John A. McKnight, Gordon H. Williams, and Norman K. Hollenberg* 771

Effect of dietary protein restriction on nutritional status in the Modification of Diet in Renal Disease Study. *Modification of Diet in Renal Disease Study Group, prepared by Joel D. Kopple, Andrew S. Levey, Tom Greene, W. Cameron Chumlea, Jennifer J. Gassman, Donna L. Hollinger, Bradley J. Maroni, Donna Merrill, Laura K. Scherch, Gerald Schulman, Shin-Ru Wang, and Gail S. Zimmer* 778

Enhanced natriuretic response to neutral endopeptidase inhibition in patients with moderate chronic renal failure. *Graham W. Lipkin, Anne B. S. Dawnay, Steven M. Harwood, William R. Cattell, and Anthony E. G. Raine* 792

Insulin-like growth factors (IGFs) and IGF binding proteins, serum acid-labile subunit and growth hormone binding protein in nephrotic children. *Dieter Haffner, Burkhard Tönshoff, Werner F. Blum, Marc Vickers, Thomas Siebler, Michael J. Cronin, Robert C. Baxter, and Otto Mehls* 802

Congenitally small kidneys with reflux as a common cause of nephropathy in boys. *Masahiro Hiraoka, Chikahide Hori, Hirokazu Tsukahara, Kenkou Kasuga, Yoshinori Ishihara, and Masakatsu Sudo* 811

TECHNICAL NOTE: Quantitative SPECT of DMSA uptake by the kidneys: Assessment of reproducibility. *David Groshar, Boaz Moskovitz, Elias Issaq, and Ofer Nativ* 817

DIALYSIS-TRANSPLANTATION

Quasi-steadiness approximation for the two-compartment solute kinetic model. *Jun Koike, Kazutomo Ujiie, Akira Owada, Tatsuo Shiigai, Noriaki Matsui, Hiroshi Nonoguchi, Kimio Tomita, and Fumiaki Marumo* 821

Dialysis-related amyloidosis of the tongue in long-term hemodialysis patients. *Kenzo Matsuo, Masahiko Nakamoto, Chikao Yasunaga, Tadanobu Goya, and Keizo Sugimachi* 832

TECHNICAL NOTE: Validation of a revised slow-stop flow recirculation method. *Toros Kapoian, Caroline A. Steward, and Richard A. Sherman* 839

NEPHROLOGY FORUM

Hepatitis C in renal transplantation. *Gregory Vosnides* 843

ABSTRACTS
French Society of Nephrology 862
INTERNATIONAL SOCIETY OF NEPHROLOGY
Meetings 867
Awards and grants 869

Instructions for Authors on page xxiii

KIDNEY INTERNATIONAL

Volume 51, Supplement 60, September 1997

Experimental Approaches to Diabetic Nephropathy

The Third Hyonam Kidney Laboratory International Symposium

Seoul, South Korea

January 24–25, 1997

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

INTRODUCTION

Hi Bahl Lee and Hunjoo Ha S-1

CYTOKINES AND GROWTH FACTORS IN DIABETIC NEPHROPATHY

Growth factors and diabetic nephropathy: An overview. *Hanna E. Abboud* S-3

Involvement of transforming growth factor-β and its receptors in the pathogenesis of diabetic nephropathy. *Fuad N. Ziyadeh and Dong Cheol Han* S-7

Role of growth hormone, insulin-like growth factors (IGFs) and IGF-binding proteins in the renal complications of diabetes. *Allan Flyvbjerg* S-12

Monocyte chemotactic peptide-1 in diabetic nephropathy. *Chun-Gyoo Ihm* S-20

HORMONES IN DIABETIC NEPHROPATHY

Alterations of intrarenal renin-angiotensin and nitric oxide systems in streptozotocin-induced diabetic rats. *Ki Chul Choi, Nam Ho Kim, Mi Ra An, Dae Gill Kang, Soo Wan Kim, and Jong-un Lee* S-23

Insertion/deletion polymorphism in ACE gene as a predictor for progression of diabetic nephropathy. *Sung-Kyu Ha and Jung-Kun Seo* S-28

Atrial natriuretic peptide in diabetic nephropathy. *Robert Zietse, Willem Weimar, and Maarten A. Schalekamp* S-33

ALTERED METABOLISM OF EXTRACELLULAR MATRIX IN DIABETIC NEPHROPATHY

Structure-function relationships in diabetic nephropathy: Lessons and limitations. *Sharon Adler* S-42

Nitric oxide in diabetic nephropathy. *Patricia A. Craven, Frederick R. DeRubertis, and Mona Melhem* . S-46

Role of glycated low density lipoprotein in mesangial extracellular matrix synthesis. *Hunjoo Ha, Vaijinath S. Kamanna, Michael A. Kirschenbaum, and Kyung Hwan Kim* S-54

Pathogenic role of advanced glycosylation end products in diabetic nephropathy. *Hi Bahl Lee, Mi Kyung Cha, Kyoung Il Song, Jeong Ho Kim, Eun Young Lee, Sung Il Kim, Jin Kim, and Myung Hi Yoo* S-60

CELLULAR EVENTS IN DIABETIC NEPHROPATHY

Activation of mitogen-activated protein kinase cascade in diabetic glomeruli and mesangial cells cultured under high glucose conditions. *Masakazu Haneda, Shin-ichi Araki, Masaki Togawa, Toshiro Sugimoto, Motohide Isono, and Ryuichi Kikkawa* S-66

Protooncogene expression and diabetic kidney injury. *Alistair J. Ingram and John W. Scholey* S-70

Diabetic vascular dysfunctions: A model of excessive activation of protein kinase C. *George L. King, H. Ishii, and Daisuke Koya* S-77

Contents continued on next page

GENE TRANSFER INTO THE KIDNEY

Gene transfer into the kidney: Promises and limitations. *Masanori Kitamura and Leon G. Fine* S-86

Glucose transporters of the glomerulus and the implications for diabetic nephropathy. *Charles W. Heilig, Frank C. Brosius, III, Douglas N. Henry* S-91

Application of gene therapy to diabetic nephropathy. *Yoshitaka Isaka, Yoshitaka Akagi, Yutaka Ando and Enyu Imai* S-100

KIDNEY INTERNATIONAL

Volume 52, Number 4, October 1997

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Pregnancy in renal disease. *Paul Jungers and Dominique Chauveau* 871

PERSPECTIVES IN BASIC SCIENCE

Mannitol therapy revisited (1940–1997). *Ori Better, Joseph M. Winaver, and James P. Knochel* 886

GENETIC DISORDERS - DEVELOPMENT

Mutations in the CLCN5 gene in Japanese patients with familial idiopathic low-molecular-weight proteinuria. *Hitoshi Nakazato, Shinzaburo Hattori, Akio Furuse, Tomoyasu Kawano, Shinnyo Karashima, Motoko Tsuruta, Junichiro Yoshimuta, Fumio Endo, and Ichiro Matsuda* 895

Protein kinase C in the developing kidney: Isoform expression and effects of ceramide and PKC inhibitors. *Eva Serlachius, Johan Svennilson, Martin Schalling, and Anita Aperia* 901

Mutations of CLCN5 in Japanese children with idiopathic low molecular weight proteinuria, hypercalciuria and nephrocalcinosis. *Naoko Akuta, Sarah E. Lloyd, Takashi Igarashi, Hiroshi Shiraga, Takeshi Matsuyama, Seitarou Yokoro, Jeremy P. D. Cox, and Rajesh V. Thakker* 911

HORMONES - CYTOKINES - SIGNALING

Cytoprotective effects of adrenomedullin in glomerular cell injury: central role of cAMP signaling pathway. *Eduardo N. Chini, Claudia C.S. Chini, Chad Bolliger, Michihisa Jougasaki, Joseph P. Grande, John C. Burnett, Jr., and Thomas P. Dousa* 917

RAPID COMMUNICATION: Enalapril decreases nuclear factor κB activation in the kidney with ureteral obstruction. *Jeremiah J. Morrissey and Saulo Klahr* 926

CELL BIOLOGY - IMMUNOLOGY - PATHOLOGY

Systemic autoimmune nephritogenic components induce CSF-1 and TNF-α in MRL kidneys. *Takashi Wada, Takero Naito, Robert C. Griffiths, Thomas M. Coffman, and Vicki Rubin Kelley* 934

Decreased expression of mitochondrial-derived H_2O_2 and hydroxyl radical in cytoresistant proximal tubules. *Richard A. Zager and Kristin Burkhart* 942

Overexpression of ecto-5′-nucleotidase promotes P-glycoprotein expression in renal epithelial cells. *Séverine Ledoux, Christine Leroy, Géraldine Siegfried, Dominique Prie, Philippe Moullier, and Gérard Friedlander* 953

HMG CoA reductase inhibitors induce apoptosis in mouse proximal tubular cells in primary culture. *Osamu Iimura, François Vrtovsnik, Fabiola Terzi, and Gérard Friedlander* 962

Exposure of human renal proximal tubular cells to glucose leads to accumulation of type IV collagen and fibronectin by decreased degradation. *Aled O. Phillips, Robert Steadman, Kimberley Morrisey, John Martin, Lisa Eynstone, and John D. Williams* 973

Ischemia causes rapidly progressive nephropathy in the diabetic rat. *Jan Melin, Olof Hellberg, Levent M. Akyürek, Örjan Källskog, Erik Larsson, and Bengt C. Fellström* 985

Adenovirus-mediated β-galactosidase gene delivery to the liver leads to protein deposition in kidney glomeruli. *Guoming Zhu, A. Graham Nicolson, Xin-Xiao Zheng, Terry B. Strom, and Vikas P. Sukhatme* 992

Renal biopsy collagen I mRNA predicts scarring in rabbit anti-GBM disease: comparison with conventional measures of function and histology. *Sang-Koo Lee, Meera Goyal, Mariano de Miguel, Preedikayil Thomas, Bryan Wharram, Robert Dysko, Sem Phan, Paul D. Killen, and Roger C. Wiggns* . 1000

Contents continued on next page

Lovastatin-induced inhibition of renal epithelial tubular cell proliferation involves a $p21^{ras}$ activated, AP-1-dependent pathway. *François Vrtovsnik, Sylviane Couete, Dominique Prié, Dominique Lallemand, and Gérard Friedlander* 1016

ION CHANNELS - MEMBRANE TRANSPORT - INTEGRATIVE PHYSIOLOGY

Urine and plasma levels of uroguanylin and its molecular forms in renal diseases. *Hiroshi Kinoshita, Shouichi Fujimoto, Masamitsu Nakazato, Naoto Yokota, Yukari Date, Hideki Yamaguchi, Shuichi Hisanaga, and Tanenao Eto* 1028

Luminal arginine vasopressin stimulates Na^+-H^+ exchange and H^+-ATPase in cortical distal tubule via V1 receptor. *M.L.M. Barreto-Chaves and Margarida Mello-Aires* 1035

VASCULAR BIOLOGY - HEMODYNAMICS - HYPERTENSION

Altered nitric oxide metabolism and increased oxygen free radical activity in lead-induced hypertension: effect of lazaroid therapy. *Nosratola D. Vaziri, Yaoxian Ding, Zhenmin Ni, and Harvey C. Gonick* 1042

CLINICAL NEPHROLOGY - EPIDEMIOLOGY - CLINICAL TRIALS

Expression of the mucosal γδ T cell receptor V region repertoire in patients with IgA nephropathy. *Colleen Olive, Alice C. Allen, Steven J. Harper, Anthony C.B. Wicks, John Feehally, and Michael C. Falk* 1047

In situ expression and soluble form of P-selectin in human glomerulonephritis. *Chikako Segawa, Takashi Wada, Masayoshi Takaeda, Kengo Furuichi, Ichirou Matsuda, Yukimasa Hisada, Satoshi Ohta, Kazuya Takasawa, Shin-ichi Takeda, Ken-ichi Kobayashi, and Hitoshi Yokoyama* 1054

TECHNICAL NOTE: The serum concentration of the advanced glycation end-product N(-(carboxymethyl) lysine is increased in uremia. *Thorsten P. Degenhardt, Linda Grass, Sharanya Reddy, Suzanne R. Thorpe, Eleftherios P. Diamandis, and John W. Baynes* 1064

DIALYSIS - TRANSPLANTATION

Effect of increased dialysate fill volume on peritoneal fluid and solute transport. *Tao Wang, Olof Heimbürger, Hui-hong Cheng, Jacek Waniewski, Jonas Bergström, and Bengt Lindholm* 1068

β2-Microglobulin associated amyloidosis: A vanishing complication of long term hemodialysis? *Susanne Schwalbe, Markus Holzhauer, Jürgen Schaeffer, Michael Galanski, Karl-Martin Koch, Jürgen Floege* 1077

Pressure or flow recordings for the surveillance of hemodialysis grafts? *Peter J. Bosman, Frans T.J. Boereboom, Henk F.M. Smits, Bert C. Eikelboom, Elein A. Koomans, and Peter J. Blankestijn* 1084

Role of an improvement in acid/base status and nutrition in CAPD patients. *Andrew Stein, Jennifer Moorhouse, Heather Iles-Smith, Frease Baker, Jane Johnstone, Gavin James, Jacqueline Troughton, Gemma Bircher, and John Walls* 1089

Switch from conventional to high-flux membrane reduces the risk of carpal tunnel syndrome and mortality of hemodialysis patients. *Yutaka Koda, Shinichi Nishi, Shigeru Miyazaki, Susumu Haginoshita, Tai Sakurabayashi, Masashi Suzuki, Shinji Sakai, Yasuko Yuasa, Yoshihei Hirasawa and Tsugio Nishi* 1096

NEPHROLOGY FORUM

Biology of acute renal failure: therapeutic implications. *Wilfred Lieberthal* 1102

ABSTRACTS

The Renal Association 1116

The Spanish Society of Nephrology 1135

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1162

Awards and grants 1164

Errata 1165

Instructions for Authors on page xiii

KIDNEY INTERNATIONAL

Volume 52, Supplement 61, October 1997

Festschrift Honoring Dr. Robert W. Schrier

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

Introduction. *Tomas Berl and Stuart L. Linas* S-1

CELL SIGNALING

Protein kinases in the action of vasopressin. *Tomas Berl* S-2

Expression and subcellular localization of water channel aquaporin-2 in conscious rats. *San-e Ishikawa, Takako Saito, Nobuya Fujita, Sei Sasaki, Fumiaki Marumo, and Toshikazu Saito* S-6

The Wistar-Furth rat as a model of mineralocorticoid resistance. *Michael E. Ullian* S-10

Interaction of kinins and captopril in regulating arterial smooth muscle cell proliferation. *Bradley S. Dixon and Michael J. Dennis* S-14

Role of receptor mediated endocytosis in proximal tubule epithelial function. *Stuart L. Linas* S-18

Central endothelin 1 regulation of arterial pressure and arginine vasopressin secretion via the AV3V region. *Noreen F. Rossi, Donal S. O'Leary, Tadeusz J. Scislo, Mary Lou Caspers, and Haiping Chen* . S-22

Cellular mechanisms of cyclosporine A-associated side-effects: Role of endothelin. *Harald Meyer-Lehnert, Dirk Bokemeyer, Ursula Friedrichs, Angela Bäcker, and Herbert J. Kramer* S-27

Role of glycosphingolipids in the regulation of renal phosphate transport. *Hubert Zajicek, Huamin Wang, Vijay Kumar, Paul Wilson, and Moshe Levi* S-32

ACUTE RENAL FAILURE

Growth factor regulation of renal tubular epithelial cell motility. *Robert J. Anderson and Carla Ray* S-36

Nitric oxide in acute renal failure: Foe or friend? *Luis Yu* S-39

Vascular hyporesponsiveness in cirrhotic rats: Role of different nitric oxide synthase isoforms. *André L. Weigert, Pierre-Yves Martin, and Robert W. Schrier* S-41

The glomerular cell: Source and target of various mediators. *Verena A. Briner and Josef Pfeilschifter* S-45

Pathogenesis of cardiac dysfunction during metabolic acidosis: Therapeutic implications. *Joseph I. Shapiro* S-47

Integrins and repair after acute renal injury. *Mark S. Paller* S-52

Role of endothelin-1 in the activation of polymorphonuclear leukocytes. *Carlos Caramelo, Antonio López Farré, Amparo Riesco, and Santos Casado* S-56

FLUID, ELECTROLYTES, PARENCHYMAL RENAL DISEASE

Proteinuria and tubulointerstitial injury. *Liguang Chen, Yiping Wang, Yuet-Ching Tay, and David C.H. Harris* S-60

Efficacy of immunosuppressive treatment in patients with membranous nephropathy and renal insufficiency. *Jack F.M. Wetzels and Louis J.M. Reichert* S-63

Primary IgA nephropathy: Natural history and factors of importance in the progression of renal impairment. *Lloyd S. Ibels, Akos Z. Gyory, Robyn J. Caterson, Carol A. Pollock, John F. Mahony, David A. Waugh, Simon D. Roger, and Susan Coulshed* S-67

Hypertension in autosomal dominant polycystic kidney disease. *Arlene B. Chapman and Patricia A. Gabow* S-71

Contents continued on next page

Hydrochlorothiazide, atenolol, nitrendipine, and enalapril in antihypertensive treatment. Influence on LVH, proteinuria and metabolic parameters. *Andreas Kribben, Manfred Anlauf, Armin Distler, Heiko Gärtner, Heinrich Holzgreve, Joerg Michaelis, Lothar Röcker, Rafael Schäfers, Ulrike Philipp, Stefan Wellek, and Thomas Philipp, on behalf of the HANE Trial Research Group* S-74

Prognostic significance of renal dysfunction in cirrhosis. *Pere Ginès, Pierre-Yves Martin, and Michel Niederberger* S-77

Non-insulin dependent diabetes mellitus in nephrology: Where do we go from here? *Ashley E. Thomson* S-83

Gene therapy for renal diseases. *Yeong-Hau H. Lien and Li-Wen Lai* S-85

Total lymphoid irradiation for pretransplant immunosuppression: Nine year follow-up. *Chakko K. Kuruvila, Robert T. McCalmon, David P. Schreiber, and Warren J. Kortz* S-89

KIDNEY INTERNATIONAL

Volume 52, Number 5, November 1997

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Hypothesis: the role of acquired tubulointerstitial disease in the pathogenesis of salt-dependent hypertension. *Richard J. Johnson and George F. Schreiner* 1169

PERSPECTIVES IN BASIC SCIENCE

Renal magnesium handling: New insights in understanding old problems. *Gary A. Quamme.* 1180

GENETIC DISORDERS - DEVELOPMENT

Expression of polycystin in mouse metanephros and extra-metanephric tissues. *Matthew D. Griffin, Deirdre A. O'Sullivan, Vicente E. Torres, Joseph P. Grande, Yashpal S. Kanwar, and Rajiv Kumar* 1196

HORMONES - CYTOKINES - SIGNALING

Immunolocalization of V_1 vasopressin receptors in the rat kidney using anti-receptor antibodies. *Carlos B. Gonzalez, Carlos D. Figueroa, Carlos E. Reyes, Carlos E. Caorsi, Silvia Troncoso, and Doris Menzel* ... 1206

Effect of insulin-like growth factor binding proteins on the response of proximal tubular cells to insulin-like growth factor-1. *Jason Yap, Tanny Tsao, Janet Fawcett, Paul J. Fielder, Gilbert A. Keller, and Ralph Rabkin* 1216

Interleukin-4 ameliorates experimental glomerulonephritis and up–regulates glomerular gene expression of IL-1 decoy receptor. *Frederick W.K. Tam, Jennifer Smith, Ayman M. Karkar, Charles D. Pusey, and Andrew J. Rees* 1224

Reversibility of experimental secondary hyperparathyroidism. *Ewa Lewin, Wanmei Wang, and Klaus Olgaard* 1232

Differential regulation of renal cyclooxygenase mRNA by dietary salt intake. *Boye L. Jensen and Armin Kurtz* 1242

Overexpression of aminopeptidase A abolishes the growth promoting effects of angiotensin II in cultured mouse mesangial cells. *Gunter Wolf, Karel J.M. Assmann, and Rolf A.K. Stahl* 1250

Localization of bradykinin B_2 binding sites in rat kidney following chronic ACE inhibitor treatment. *Rachael Dean, Carmelina Murone, Rebecca A. Lew, Jialong Zhuo, David Casley, Werner Müller-Esterl, Daine Alcorn, and Frederick A.O. Mendelsohn* 1261

CELL BIOLOGY - IMMUNOLOGY - PATHOLOGY

Effect of glycine on prelethal and postlethal increases in calpain activity in rat renal proximal tubules. *Charles L. Edelstein, Hong Ling, Patricia E. Gengaro, Raphael A. Nemenoff, Ben A. Bahr, and Robert W. Schrier* 1271

Transformation of rat inner medullary fibroblasts to myofibroblasts in vitro. *Clemens Grupp, Jens Lottermoser, David I. Cohen, Michael Begher, Hans-Eduard Franz, and Gerhard A. Müller* 1279

Adhesion, internalization and metabolism of calcium oxalate monohydrate crystals by renal epithelial cells. *John C. Lieske, Rebbecca Norris, Hewson Swift, and F. Gary Toback* 1291

Nonenzymatic glycation of type IV collagen and matrix metalloproteinase susceptibility. *Joni D. Mott, Raja G. Khalifah, Hideaki Nagase, Charles F. Shield, III, Julie K. Hudson, and Billy G. Hudson* 1302

Abrogation of glomerular injury in nephrotoxic nephritis by continuous infusion of interleukin-6. *Ayman M. Karkar, Jennifer Smith, Frederick W.K. Tam, Charles D. Pusey, and Andrew J. Rees* 1313

TECHNICAL NOTE: Isolation of proximal and distal tubule cells from human kidney by immunomagnetic separation. *Patrick C. Baer, Wolfgang A. Nockher, Winfried Haase, and Jürgen E. Scherberich* 1321

Contents continued on next page

ION CHANNELS - MEMBRANE TRANSPORT - INTEGRATIVE PHYSIOLOGY

Hyperosmotic stress up-regulates amino acid transport in vascular endothelial cells. *Stephen A. Kempson, Martha J. Hoshaw, Rose S. Hinesley, and James A. McAteer* 1332

Intracellular transport, cell-surface exposure and release of recombinant Tamm-Horsfall glycoprotein. *Nadia Malagolini, Daniela Cavallone, and Franca Serafini-Cessi* 1340

Indomethacin and staurosoporine reverse α2 inhibition of water transport in rat IMCD. *Alexander J. Rouch and Lúcia H. Kudo* 1351

VASCULAR BIOLOGY - HEMODYNAMICS - HYPERTENSION

Measurement of renal vein blood flow in rats by high-field magnetic resonance. *Steffen Ringgaard, Thora Christiansen, Martin Bak, Erik M. Pedersen, Hans Støkilde-Jørgensen, and Allan Flyvbjerg* 1359

TECHNICAL NOTE: Pressure-diuresis and natriuresis in DOCA-salt mice. *Volkmar Gross, Andrea Lippoldt, and Friedrich C. Luft.* 1364

CLINICAL NEPHROLOGY - EPIDEMIOLOGY - CLINICAL TRIALS

Impaired auatoregulation of GFR in hypertensive non insulin dependent diabetic patients. *Per K. Christensen, Henrik P. Hansen, and Hans-Henrik Parving* 1369

Antibodies to Clq in systemic lupus erythematosus: characteristics and relation to FcαRIIA alleles. *Leah A. Haseley, Jeffrey J. Wisnieski, Michelle R. Denburg, Abigail R. Michael-Grossman, Ellen M. Ginzler, Mark F. Gourley, Jean H. Hoffman, Robert P. Kimberly, and Jane E. Salmon* 1375

DIALYSIS - TRANSPLANTATION

Calcium channel blockers correct in vitro mitochondrial toxicity of cellulose acetate. *Laurent J. Tabouy, Anne-Marie T. Chauvet-Monges, Gérard P. Carles, Philippe J. Brunet, Diane L. Braguer, Pierre A. Rebouillon, Yvon F. Berland, and Aimé D. Crevat* 1381

Recombinant human erythropoietin enhances superoxide production by FMLP-stimulated polymorphonuclear leukocytes in hemodialysis patients. *Hung-Chun Chen, Jer-Chia Tsai, Juei-Hsiung Tsai, and Yung-Hsiung Lai* 1390

Comparison of methods to predict equilibrated Kt/V in the HEMO pilot study. *HEMO Study Group, prepared by John T. Daugirdas, Thomas A. Depner, Frank A. Gotch, Tom Greene, Prakash Keshaviah, Nathan W. Levin, and Gerald Schulman* 1395

TECHNICAL NOTE: Percutaneous recanalization of occlusion of central and proximal veins in chronic hemodialysis. *Philippe Morinière, Romualdine Rodary-Vautier, Virginie Fillioux-Morfaux, Bruno Dehouck, Najeh El Esper, Alexandre Remond, and Albert Fournier* 1406

NEPHROLOGY FORUM

Disorders of bone and mineral metabolism after renal transplantation. *Pablo U. Massari* 1412

INVITED CONTRIBUTION

Report on the first meeting of the chairmen of the national and international registries. *Francesco Paolo Schena* 1422

ABSTRACTS

Swiss Society of Nephrology 1423

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1433

Awards and grants 1434

Instructions for Authors on page xiii

KIDNEY INTERNATIONAL

Volume 52, Supplement 62, November 1997

Uremic Toxicity

Proceedings of the Third International Symposium

on Uremic Toxicity

April 10–12, 1997

Nagoya, Japan

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

Introduction. *Toshimitsu Niwa, Severin Ringoir, and Shaul G. Massry* S-1

UREMIC TOXINS, ORGAN FUNCTION AND METABOLISM

An update on uremic toxins. *Severin Ringoir* S-2

Parathyroid hormone, chronic renal failure and the liver. *Shaul G. Massry and Miroslaw Smogorzewski* S-5

p-Cresol and uric acid: Two old uremic toxins revisited. *Rita De Smet, Griet Glorieux, Chen H. Hsu, and Raymond Vanholder* S-8

Uremic cardiomyopathy: Role of parathyroid hormone. *Miroslaw Smogorzewski and Shaul G. Massry* S-12

PROGRESSION OF RENAL FAILURE

Indoxyl sulfate increases the gene expressions of TGF-β1, TIMP-1, and pro-α1(I) collagen in uremic rat kidneys. *Takashi Miyazaki, Michihito Ise, Hisao Seo, and Toshimitsu Niwa* S-15

The protein metabolite hypothesis, a model for the progression of renal failure: An oral adsorbent lowers indoxyl sulfate levels in undialyzed uremic patients. *Toshimitsu Niwa, Tomohide Nomura, Satoshi Sugiyama, Takashi Miyazaki, Saori Tsukushi, and Shuichi Tsutsui* S-23

Role of increased glomerular protein traffic in the progression of renal failure. *Isabella Bruzzi, Ariela Benigni, and Giuseppe Remuzzi* S-29

Renal fibrosis: Role of impaired proteolysis and potential therapeutic strategies. *August Heidland, Katarina Sebekova, Leszek Paczek, Markus Teschner, Jobst Dämmrich, and Zbigniew Gaciong* S-32

Lipids in progression of renal disease. *Hiroaki Oda and William F. Keane* S-36

Mechanism of the progression of diabetic nephropathy to renal failure. *Ryuichi Kikkawa, Masaki Togawa, Motohide Isono, Keiji Isshiki, and Masakazu Haneda* S-39

NUTRITION AND METABOLISM IN RENAL FAILURE

Mechanisms of malnutrition in uremia. *Gianfranco Guarnieri, Gabriele Toigo, Nicola Fiotti, Beniamino Ciocchi, Roberta Situlin, Carlo Giansante, Alfonso Vasile, Michele Carraro, Luigi Faccini, and Gianni Biolo* S-41

IGF-1 resistance in chronic renal failure: Current evidence and possible mechanism. *Hu Ding, David Peiyuan Qing, and Joel D. Kopple* S-45

Carbohydrate and insulin metabolism in renal failure. *Anders Alvestrand* S-48

Inflammation, dyslipidemia, and vascular risk factors in hemodialysis patients. *Christoph Wanner, Josef Zimmermann, Thomas Quaschning, and Jan Galle* S-53

Metabolism of vitamin B_6 and its requirement in chronic renal failure. *Miroslav Mydlík, Katarína Derzsiová, and Eva Žemberová* S-56

Contents continued on next page

PARATHYROID GLANDS, PTH, AND VITAMIN D IN RENAL FAILURE

Resistance of the parathyroid glands to vitamin D in renal failure: Implications for medical management. *Masafumi Fukagawa, Masafumi Kitaoka, and Kiyoshi Kurokawa* S-60

Uremic toxins and vitamin D metabolism. *Chen H. Hsu and Sanjeevkumar R. Patel* S-65

Is the bone mass of hemodialysis patients genetically determined? *Takashi Akiba, Ryoichi Ando, Satoshi Kurihara, Masayuki Heishi, Hiromitsu Tazawa, and Fumiaki Marumo* S-69

Incidence and clinical characteristics of hypoparathyroidism in dialysis patients. *Tadao Akizawa, Eriko Kinugasa, Takashi Akiba, Yusuke Tsukamoto, and Kiyoshi Kurokawa* S-72

UREMIC COMPLICATIONS

Apolipoprotein E and α_1-antichymotrypsin in dialysis-related amyloidosis. *Fumitake Gejyo, Hideki Kimura, Satoru Suzuki, Ryoichi Miyazaki, Hironobu Naiki, and Kazuya Nakakuki* S-75

Immune dysfunction in uremia. *Gerald Cohen, Marianne Haag-Weber, and Walter H. Hörl* S-79

Evidence that the anemia of renal failure participates in overall uremic toxicity. *Franciszek Kokot and Andrzej Więcek* S-83

Hemostasis disorders in chronic renal failure. *Karel Opatrný, Jr.* S-87

Atherosclerosis in uremia: Possible roles of hyperparathyroidism and intermediate density lipoprotein accumulation. *Yoshiki Nishizawa, Tetsuo Shoji, Takahiko Kawagishi, and Hirotoshi Morii* S-90

REMOVAL PATTERNS OF THERAPEUTIC STRATEGY

Current trends in dialysis therapy. *Claude Jacobs* S-93

Adequacy of dialysis. *T. Alp Ikizler and Gerald Schulman* S-96

Are biocompatible membranes superior for hemodialysis therapy? *Charles van Ypersele de Strihou* ..S-101

Issues affecting the longevity of the continuous peritoneal dialysis therapy. *Yoshindo Kawaguchi, Toshio Hasegawa, Masaaki Nakayama, Hitoshi Kubo, and Takashi Shigematu* S-105

New frontiers in continuous ambulatory peritoneal dialysis. *James F. Medcalf and John Walls* S-108

HISTORICAL REVIEW

Salt: A sacred substance. *Natale Gaspare De Santo, Carmela Bisaccia, Rosa Maria De Santo, Luca Salvatore De Santo, Luciana Petrelli, Leonardo Gallo, Massimo Cirillo, and Giovambattista Capasso* .S-111

KIDNEY INTERNATIONAL

Volume 52, Number 6, December 1997

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Progression of renal damage in human glomerulonephritides: is there sleight of hand in winning the game? *Francesco Paulo Schena, Loreto Gesualdo, Giuseppe Grandaliano, Vincenzo Montinaro* 1439

PERSPECTIVES IN BASIC SCIENCE

Synthesis and effects of active fragments of angiotensin II. *Raymond Ardaillou and Dominique Chansel* 1458

GENETIC DISORDERS - DEVELOPMENT

P_{CD}Amp1, a new antigen at the interface of the embryonic collecting duct epithelium and the nephrogenic mesenchyme. *Raimond Strehl, Sabine Kloth, Joachim Aigner, Pat Steiner, and Will W. Minuth* 1469

HORMONES - CYTOKINES - SIGNALING

Leukocyte-polytetrafluoroethylene interaction enhances proliferation of vascular smooth muscle cells via tumor necrosis factor-α secretion. *Joseph Mattana, Charles Effiong, Aditi Kapasi, and Pravin C. Singhal* 1478

Human renal fibroblasts modulate proximal tubule cell growth and transport via the IGF-I axis. *David W. Johnson, Heather J. Saunders, Bronwyn K. Brew, Anand Ganesan, Robert C. Baxter, Philip Poronnik, David I. Cook, Akos Z. Györy, Michael J. Field, Carol A. Pollock* 1486

Angiotensin II modulates cell growth-related events and synthesis of matrix proteins in renal interstitial fibroblasts. *Marta Ruiz-Ortega and Jesus Egido* 1497

Effects of integrins on proliferation and apoptosis of renal epithelial cells after acute injury. *Devika S. Wijesekera, Mario J. Zarama, and Mark S. Paller* 1511

Lymphocyte-derived cytokines induce sequential expression of monocyte- and T cell-specific chemokines in human mesangial cells. *Mario Schwarz, Heinfried H. Radeke, Klaus Resch, and Peter Uciechowski* 1521

CELL BIOLOGY - IMMUNOLOGY - PATHOLOGY

Reduction of insulin and triglycerides delays glomerulosclerosis in obese Zucker rats. *Odile Michel, Didier Heudes, Isabelle LaMarre, Carole Masurier, Marcelle Lavau, Jean Bariety, and Jacques Chevalier, with the technical assistance of Marie-France Belair and Chantal Mandet* 1532

Ultrastructural organization of hemodialysis-associated β_2-microglobulin amyloid fibrils. *Sadayuki Inoue, Mie Kuroiwa, Kenichi Ohashi, Mitsuru Hara, and Robert Kisilevsky* 1543

Subtotal nephrectomy alters tubular function: effect of phosphorus restriction. *Denise Laouari, Gerard Friedlander, Martine Burtin, Caroline Silve, Michele Dechaux, Michele Garabedian, and Claire Kleinknecht* 1550

Inhibition of glomerular mesangial cell proliferation and extracellular matrix deposition by halofuginone, an inhibitor of collagen type I synthesis. *Arnon Nagler, Avi Katz, Elena Aingorn, Hua-Quan Miao, Reba Condiotti, Olga Genina, Mark Pines, and Israel Vlodavsky* 1561

Renal microvascular injury induced by antibody to glomerular endothelial cells is mediated by C5b-9. *Masaomi Nangaku, Charles E. Alpers, Jeff Pippin, Stuart J. Shankland, Kiyoshi Kurokawa, Stephen Adler, Richard J. Johnson, and William G. Couser* 1570

Contents continued on next page

Technical Note: Influence of endotoxin contamination on anti-GBM antibody induced glomerular injury in rats. *Ayman M. Karkar and A. Rees* 1579

ION CHANNELS - MEMBRANE TRANSPORT - INTEGRATIVE PHYSIOLOGY

The renal osmotic stress induced cotransporter (ROSIT): Localization in the adult rat kidney, developmental expression and regulation after ischemic acute tubular necrosis. *Nicholas Obermüller, Bettina Kränzlin, Rajeev Verma, Norbert Gretz, Wilhelm Kriz, and Ralph Witzgall* 1584

VASCULAR BIOLOGY - HEMODYNAMICS - HYPERTENSION

Colocalization of demethylating enzymes and NOS and functional effects of methylarginines in rat kidney. *Akihiro Tojo, William J. Welch, Viviane Bremer, Masumi Kimoto, Kenjiro Kimura, Masao Omata, Tadashi Ogawa, Patrick Vallance, and Christopher S. Wilcox* 1593

CLINICAL NEPHROLOGY - EPIDEMIOLOGY - CLINICAL TRIALS

Dependence of upper limit of metastability on supersaturation in nephrolithiasis. *John R. Asplin, Joan H. Parks, and Fredric L. Coe* 1602

DIALYSIS - TRANSPLANTATION

A quantitative analysis of sodium transport and removal during peritoneal dialysis. *Tao Wang, Jacek Waniewski, Olof Heimbürger, Andrej Werynski, and Bengt Lindholm* 1609

Bioimpedance norms for the hemodialysis population. *Glenn M. Chertow, J. Michael Lazarus, Nancy L. Lew, Lihong Ma, and Edmund G. Lowrie* 1617

Low dose ACE inhibition and glomerular permselectivity in renal transplant recipients. *Kyra Borchhardt, Martin Haas, Nilgün Yilmaz, Rainer Oberbauer, Alice Schmidt, Ursula Barnas, and Gert Mayer* 1622

Necrosis and apoptosis of polymorphonuclear cells exposed to peritoneal dialysis fluids *in vitro*. *Miguel Cendoroglo, Sumuk Sundaram, Chris Groves, Angelo A. Ucci, Bertrand L. Jaber, Brian J.G. Pereira* 1626

Lung density for assessment of hydration status in hemodialysis patients using the computed tomographic densitometry technique. *George Metry, Göran Wegenius, Björn Wikström, Vendela Källskog, Peter Hansell, Per G. Lindgren, Hans Hedenström, and Bo G. Danielson* 1635

Reduction of plasma apolipoprotein-B by effective removal of circulating glycation derivatives in uremia. *Steven Fishbane, Richard Bucala, Brian J.G. Pereira, Hank Founds, and Helen Vlassara* 1645

Adrenocorticotrophic hormone lowers serum Lp(a) and LDL cholesterol concentrations but does not influence triglyceride metabolism in hemodialysis patients. *Margret Arnadottir, Anna-Lena Berg, Jean Dallongeville, Jean-Charles Fruchart, and Peter Nilsson-Ehle* 1651

Predictive measures of vascular access thrombosis: A prospective study. *Richard E. May, Jonathan Himmelfarb, Mujdat Yenicesu, Stephanie Knights, T. Alp Ikizler, Gerald Schulman, Marta Hernanz-Schulman, Yu Shyr, and Raymond M. Hakim* 1656

Dialytic nutrition: Provision of amino acids in dialysate during hemodialysis. *Charles Chazot, Ehsan Shabmir, Belen Matias, Steward Laidlaw, and Joel D. Kopple* 1663

Dipyridamole inhibits PDGF and bFGF-induced vascular smooth muscle cell proliferation. *Jonathan Himmelfarb and Leslie Couper* 1671

Rapid Communication: CD28-B7 blockade in organ dysfunction secondary to cold ischemia/reperfusion injury. *Anil Chandraker, Moriatsu Takada, Kari C. Nadeau, Robert Peach, Nicholas L. Tilney, and Mohamed H. Sayegh* 1678

Rapid Communication: Increased plasma concentrations of LDL-unbound apo(a) in patients with end-stage renal disease. *Evi Trenkwalder, Alexandra Gruber, Paul König, Hans Dieplinger, and Florian Kronenberg* 1685

RENAL PHARMACOLOGY

Drug-targeting to the kidney: Renal delivery and degradation of a naproxen-lysozyme conjugate *in vivo*. *Marijke Haas, Alex C.A. Kluppel, Ellen S. Wartna, Frits Moolenaar, Dirk K.F. Meijer, Paul E. de Jong, and Dick de Zeeuw* 1693

TECHNICAL NOTE

Serum oxalate microassay using chemiluminescence detection. *Jean-Michel Gaulier, Pierre Cochat, Gisèle Lardet, Jean-Jacques Vallon* 1700

EDITORIALS

Hemodialysis vascular access: An ounce of prevention. *Steve J. Schwab* 1704

A role for T cell co-stimulation in ischemic acute renal failure? *Thomas M. Coffman* 1706

NEPHROLOGY FORUM

The natural history of hemolytic-uremic syndrome in children. *Horacio A. Repetto* 1708

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1720

Awards and grants 1723

ACKNOWLEDGMENT OF CORPORATE SPONSORS 1724

ACKNOWLEDGMENT OF REVIEWERS 1725

KEYWORD INDEX 1731

AUTHOR INDEX 1739

Instructions for Authors on page xvi

KIDNEY INTERNATIONAL

Volume 52, Supplement 63, December 1997

Progression of Renal Disease:

Clinical Patterns, Therapeutic Options,

and Lessons from Clinical Trials

Coolum, Australia

May 31–June 3 1997

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

Introduction. *William F. Keane, Barry M. Brenner, and Kiyoshi Kurokawa* S1

PLENARY SESSION

Cytokines, growth factors, and renal injury: Where do we go now? *Richard J. Johnson* S-2

Role of angiotensin: Insight from gene targeting studies. *Soichiro Okubo and Iekumi Ichikawa* ... S-7

Proteinuria is a risk factor for mortality over 10 years of follow-up. *Richard H. Grimm, Jr., Kenneth H. Svendsen, Bertram Kasiske, William F. Keane, and Monika M. Wahi, for the MRFIT Research Group* S-10

High normo- or low microalbuminuria: Basis for intervention in insulin-dependent diabetes mellitus. *Per L. Poulsen, Eva Ebbehøj, Klavs W. Hansen, and C.E. Mogensen* S-15

Comparison of renin-angiotensin to calcium channel blockade in renal disease. *Ilkka Tikkanen* ... S-19

Angiotensin converting enzyme insertion/deletion polymorphism and short-term renal response to ACE inhibition: Role of sodium status. *Frank G.H. van der Kleij, Alice Schmidt, Gerjan J. Navis, Martin Haas, Nilgyn Yilmaz, Paul E. de Jong, Gert Mayer, and Dick de Zeeuw* S-23

Genetic determinants of diabetic renal disease and their impact on therapeutic interventions. *Susanne Schmidt and Eberhard Ritz* S-27

LESSONS FROM CLINICAL TRIALS IN DIABETIC RENAL DISEASE

Angiotensin converting enzyme inhibitors in diabetic patients with microalbuminuria or normoalbuminuria. *Giancarlo Viberti and Nish Chaturvedi* S-32

Glycemic control and the initiation and progression of the complications of diabetes mellitus. *Michael W. Steffes* S-36

Renal structure and function in non-insulin dependent diabetic patients with microalbuminuria. *Enrico Brocco, Paola Fioretto, Michael Mauer, Alois Saller, Andrea Carraro, Francesco Frigato, Matteo Chiesura-Corona, Laura Bianchi, Bruno Baggio, Mario Maioli, Cataldo Abaterusso, Mario Velussi, Maria Sambataro, Flavio Virgili, Elena Ossi, and Romano Nosadini* S-40

Course of renal disease in Pima Indians with non-insulin-dependent diabetes mellitus. *Robert G. Nelson, Timothy W. Meyer, Bryan D. Myers, and Peter H. Bennett* S-45

Kidney function after withdrawal of long-term antihypertensive treatment in diabetic nephropathy. *Henrik P. Hansen, Flemming S. Nielsen, Peter Rossing, Peter Jacobsen, Berit R. Jensen, and Hans-Henrik Parving* S-49

LESSONS FROM CLINICAL TRIALS IN NONDIABETIC RENAL DISEASE

Proteinuria predicts end-stage renal failure in non-diabetic chronic nephropathies. *Piero Ruggenenti, Annalisa Perna, Lidia Mosconi, Massimo Matalone, Roberto Pisoni, Flavio Gaspari, and Giuseppe Remuzzi, on behalf of the "Gruppo Italiano di Studi Epidemiologici in Nefrologia" (GISEN)* S-54

Contents continued on next page

Are angiotensin converting enzyme inhibitors superior to beta blockers in retarding progressive renal function decline? *Gabe G. van Essen, Alfred J. Apperloo, Pieter L. Rensma, Coen A. Stegeman, Wim J. Sluiter, Dick de Zeeuw, and Paul E. de Jong* S-58

Long-term progression of chronic renal insufficiency in the AIPRI Extension Study. *Francesco Locatelli, Ian R.I. Carbarns, Giuseppe Maschio, Johannes F.E. Mann, Claudio Ponticelli, Eberhard Ritz, Daniele Alberti, Gérard Janin, Pietro Zucchelli, and the Angiotensin-Converting-Enzyme Inhibition in Progressive Renal Insufficiency Study Group* S-63

Angiotensin II receptor blockade and progression of nondiabetic-mediated renal disease. *Nauman Tarif and George L. Bakris* S-67

LESSONS FROM CLINICAL TRIALS IN RENAL TRANSPLANT RECIPIENTS

Clinical correlates to chronic renal allograft rejection. *Bertram L. Kasiske* S-71

Treatment of hypertension in renal allograft patients: Does drug selection make a difference? *John J. Curtis* S-75

Glomerular proteinuria in renal transplant patients: Mechanisms and treatment. *Ursula Barnas and Gert Mayer* S-78

Impact of new immunosuppressive agents on late graft outcome. *Yves F. Ch. Vanrenterghem* S-81

Antigen-independent determinants of graft survival in living-related kidney transplantation. *Glenn M. Chertow, Barry M. Brenner, Motomi Mori, Harald S. MacKenzie, and Edgar L. Milford* S-84

EXPERIMENTAL INSIGHTS INTO ISSUES RAISED BY CLINICAL TRIALS

Why is proteinuria such an important risk factor for progression in clinical trials? *George Jerums, Sianna Panagiotopoulos, Con Tsalamandris, Terri J. Allen, Richard E. Gilbert, and Wayne D. Comper* S-87

Mechanisms of progression in autosomal dominant polycystic kidney disease. *Jared J. Grantham* . S-93

Progression of renal failure: Role of apolipoprotein B-containing lipoproteins. *Per-Ola Attman, Ola Samuelsson, and Petar Alaupovic* S-98

Lipids and progression of renal disease: Role of modified low density lipoprotein and lipoprotein(a). *Christoph Wanner, Stefan Greiber, Annette Krämer-Guth, Alexandra Heinloth, and Jan Galle* S-102

Role of local and systemic angiotensin in diabetic renal disease. *Sharon Anderson* S-107

Comparative study of ACE inhibitors and angiotensin II receptor antagonists in interstitial scarring. *Saulo Klahr and Jeremiah J. Morrissey* S-111

Aldosterone is a major factor in the progression of renal disease. *Hassan N. Ibrahim, Mark E. Rosenberg, E.L. Greene, Stefan Kren, and Thomas H. Hostetter* S-115

Glomerulosclerosis, arteriosclerosis, and vascular graft stenosis: Treatment with oral heparinoids. *Gary E. Striker, Enrico Lupia, Sharon Elliot, Feng Zheng, Charles McQuinn, Christopher Blagg, Sami Selim, Jose Vilar, and Liliane J. Striker* S-120

POTENTIAL APPLICATIONS OF ANGIOTENSIN II RECEPTOR ANTAGONIST IN RENAL DISEASE

Nephron mass as a risk factor for progression of renal disease. *Barry M. Brenner and Harald S. Mackenzie* S-124

Heterogeneity of angiotensin action in renal circulation. *Sadayoshi Ito, Janki Amin, Yilin Ren, Shuji Arima, Keishi Abe, and Oscar A. Carretero* S-128

Role of angiotensin II generated by angiotensin converting enzyme-independent pathways in canine kidney. *Marohito Murakami, Hiroto Matsuda, Eiji Kubota, Shu Wakino, Masanori Honda, Koichi Hayashi, and Takao Saruta* S-132

Effects of candesartan cilexetil (TCV-116) and enalapril in 5/6 nephrectomized rats. *Masakuni Noda, Ryo Fukuda, Takanori Matsuo, Masayuki Ohta, Hiroko Nagano, Yoshimi Imura, Kohei Nishikawa, and Yumiko Shibouta* S-136

Angiotensin receptor antagonists in experimental models of chronic renal failure. *Harald S. Mackenzie, Mai Ots, Farzad Ziai, Kang-Wook Lee, Shinichiro Kato, and Barry M. Brenner* S-140

ENDPOINTS AND METHODOLOGICAL ISSUES IN CONDUCTING CLINICAL TRIALS

Assessment of structure and function in progressive renal disease. *Lawrence Agodoa, Garabed Eknoyan, Julie Ingelfinger, William Keane, Michael Mauer, William Mitch, Gary Striker, and Christopher Wilcox* S-144

Measurement of glomerular filtration rate. *Flavio Gaspari, Norberto Perico, and Giuseppe Remuzzi* . S-151

Diabetic nephropathy as a model for the use of renal structural endpoints in clinical trials. *Michael Mauer and Paola Fioretto* S-155

Economic evaluation of benazepril in chronic renal insufficiency. *Ben A. van Hout, George P. Simeon, Joseph McDonnell, Johannes F.E. Mann* S-159

ABBREVIATED REPORTS

Microalbuminuria: A marker of cardiovascular risk and organ damage in essential hypertension. *Roberto Pontremoli, Francesca Viazzi, Antonella Sofia, Cinzia Tomolillo, Natia Ruello, Gian Paolo Bezante, Massimo Del Sette, Carlo Martinoli, Raffaella Lotti, Giorgio Sacchi, and Giacomo Deferrari* . S-163

Creatinine clearance predicted from body cell mass is a good indicator of renal function. *Carlo Donadio, Annalisa Lucchesi, Gianfranco Tramonti, and Claudio Bianchi* S-166

Predictors of end-stage renal disease and body mass index in a screened cohort. *Kunitoshi Iseki, Yoshiharu Ikemiya, and Koshiro Fukiyama* S-169

Podocyte detachment and epithelial cell reaction in focal segmental glomerulosclerosis with cellular variants. *Itaru Kihara, Satoko Tsuchida, Eishin Yaoita, Tadashi Yamamoto, Masamori Hara, Toshio Yanagihara, and Tsuneo Takada* S-171

Prognosis of Japanese membranous nephropathy patients with nephrotic syndrome. *Sinichi Nishi, Mitsuhiro Ueno, Hisaki Shimada, Ryou Karasawa, Tsukasa Nakamaru, Yoshiichi Miyakawa, and Masaaki Arakawa* S-177

Tumor-associated trypsin inhibitor (TATI) and renal function. *Gianfranco Tramonti, Marco Ferdeghini, Carlo Donadio, Carmela Annichiarico, Maria Norpoth, Romano Bianchi, Claudio Bianchi* . S-179

Immunohistochemical localization of latent transforming growth factor-β binding protein in IgA nephropathy. *Takehiko Wada, Shinji Hamakawa, Yuichi Hori, Shinya Kaname, Seiichiro Shimizu, Kiyoshi Kurokawa, and Tetsuo Katoh* S-182

Renal hemodynamic effects of candesartan in normal and impaired renal function in humans. *Hanneke Buter, Gerjan Navis, Dick de Zeeuw, and Paul E. de Jong* S-185

Effects of oral adsorbent AST-120 on the progression of chronic renal failure: A randomized controlled study. *Akira Owada, Masaaki Nakao, Jun Koike, Kazutomo Ujiie, Kimio Tomita, and Tatsuo Shiigai* S-188

Tubulointerstitial lesions in non-insulin dependent diabetes mellitus. *Mitsuhiro Ueno, Shinji Kawashima, Shinichi Nishi, Hisaki Shimada, Ryou Karasawa, Yoshiki Suzuki, Yuichirou Maruyama, and Masaaki Arakawa* S-191

Urinary excretion of TGF-β1, PDGF-BB and fibronectin in insulin-dependent diabetes mellitus patients. *Johan A. Fagerudd, Per-Henrik Groop, Eero Honkanen, Anna-Maija Teppo, and Carola Grönhagen-Riska* S-195

Mechanism of decreased albuminuria caused by angiotensin converting enzyme inhibitor in early diabetic nephropathy. *Masahito Imanishi, Katsunobu Yoshioka, Michiaki Okumura, Yoshio Konishi, Shirou Tanaka, Satoru Fujii, and Genjiro Kimura* S-198

Location and action of angiotensin II type 1 receptor in the renal microcirculation. *Kenjiro Kimura, Sachiko Inokuchi, Takeshi Sugaya, Naoe Suzuki, Hikaru Yoneda, Isao Shirato, Naobumi Mise, Shigeyoshi Oba, Kazuhisa Miyashita, Akihiro Tojo, Yasunobu Hirata, Atsuo Goto, Tatsuo Sakai, Kazuo Murakami, and Masao Omata* S-201

Function of angiotensin II type 2 receptor in the postglomerular efferent arteriole. *Yoshimi Endo, Shuji Arima, Hiraku Yaoita, Ken Omata, Kazuo Tsunoda, Kazuhisa Takeuchi, Keishi Abe, and Sadayoshi Ito* S-205

Nitric oxide synthase I immunoreactivity in the macula densa of the kidney is angiotensin II dependent. *Kazuyo Murakami, Ken Tsuchiya, Mitsuhide Naruse, Kiyoko Naruse, Hiroshi Demura, Junko Arai, and Hiroshi Nihei* S-208

Indoxyl sulfate stimulates renal transforming growth factor-β1 and progression of renal failure. *Takashi Miyazaki, Michihito Ise, Michinori Hirata, Koichi Endo, Yoshie Ito, Hisao Seo, and Toshimitsu Niwa* S-211

Identification of genes specifically expressed in chronic and progressive glomerulosclerosis. *Ichiei Narita, Hitoshi Nakayama, Shin Goto, Tetsuro Takeda, Minoru Sakatsume, Akihiko Saito, Yoichi Nakagawa, and Masaaki Arakawa* S-215

Irbesartan lowers blood pressure and ameliorates renal injury in experimental non-insulin-dependent diabetes mellitus. *Michael P. O'Donnell, Gretchen S. Crary, Hiroaki Oda, Bertram L. Kasiske, James R. Powell, and William F. Keane* S-218

Macrophage and myofibroblast proliferation in remnant kidney: Role of angiotensin II. *Leonard L. Wu, Niansheng Yang, Chris J. Roe, Mark E. Cooper, Richard E. Gilbert, Robert C. Atkins, and Hui Y. Lan* S-221

Candesartan prevents the progression of mesangioproliferative nephritis in rats. *Takamichi Nakamura, Jun-ei Obata, Makoto Onizuka, Hideaki Kimura, Shinichi Ohno, Yoji Yoshida, Hiroshi Kawachi, and Fujio Shimizu* S-226

Cardesartan prevents the progression of glomerulosclerosis in genetic hypertensive rats. *Jun-ei Obata, Takamichi Nakamura, Rumi Kuroyanagi, Yoji Yoshida, Den-Fu Guo, and Tadashi Inagami* . S-229

TCV-116 inhibits interstitial fibrosis and HSP47 mRNA in rat obstructive nephropathy. *Toshiki Moriyama, Noritaka Kawada, Yoshitaka Akagi, Akio Ando, Masaru Horio, Atsushi Yamauchi, Kazuhiro Nagata, Enyu Imai, and Masatsugu Hori* S-232

Long-term effects of LTB_4 antagonist on lipid induced renal injury. *Akihide Nakao, Kazuo Nosaka, Nobuya Ohishi, Eisei Noiri, Takako Suzuki, Shigeo Taniguchi, George Seki, Tsuyoshi Watanabe, Kiyoshi Kurokawa, Takao Shimizu, and Satoshi Kimura* S-236

Pirfenidone prevents collagen accumulation in the remnant kidney in rats with partial nephrectomy. *Toshikatu Shimizu, Masafumi Fukagawa, Takayuki Kuroda, Satoshi Hata, Yoshiko Iwasaki, Masanori Nemoto, Kiyoshi Shirai, Shitotomo Yamauchi, Solomon B. Margolin, Fujio Shimizu, and Kiyoshi Kurokawa* S-239